




Our Product Brochure

www.autowheelindia.com

INDEX





CODE:
AWTC-(100)

Height : 700 mm
Base : 380 X 380 mm
Weight : 3 Kg
Material : PVC
Feature : Non Reflective



CODE:
AWTC-(101)

Height : 600 mm
Base : 420 X 420 mm
Weight : 4 Kg
Material : PVC
Feature : Non Reflective (Rubber Base)



CODE:
AWTC-(102)

Height : 750 / 1000 mm
Weight : 2.5 Kg / 5.5 Kg
Material : PVC
Reflective Tapes : Polish Finishing
Feature : Reflective



CODE:
AWTC-(103)

Height : 1000 mm
Weight : 5.0 - 8 kgs
Base Size : 490 X 490 mm
Material : PVC
Feature : Reflective (Rubber Base)



CODE:
AWTC-(104)

Height : 500 / 750 / 1000 mm
Weight : 4.5 kg
Base : 390 x 390 mm
Sleeve : 6/10 Inch
Material : PVC
Feature : Reflective (Rubber Based Top)



CODE:
AWTC-(105)

Height : 950 mm
Weight : 6.2 kg
Base : 490 X 490 mm
Sleeve : 8inch
Material : PVC
Feature : Injection Mould



CODE:
AWTC-(106)

Height : 750 mm
Weight : 1.2 / 1.5 / 3.3 / 4.2 kgs
Base : 380 x 380 mm
Reflective tapes : 2
Material : PVC
Feature : Reflective



CODE:
AWTC-(107)

Height : 750 mm
Weight : 1.2 / 1.5 / 3.3 / 4.2 kgs
Base : 380 x 380 mm
Sleeve : 4 / 6 Inches
Material : PVC
Feature : **Reflective**
(Rubber Base)



CODE:
AWTC-(108)

Height : 750 / 1000 mm
Weight : 4 / 4.5 kg
Sleeve : 6 inch / 8 inch
(2 Inch top, 4 Inch bottom)
Colour : **Red**
Material : **PVC**
Shape : **Hexagonal**
Feature : **Reflective**



CODE:
AWBR-(200)

Length : 1500 mm
Width : 410 mm
Height : 1000 mm
Type : **Fence**



CODE:
AWTC-(109)

Height : 750 mm
Width : 350 X 350 mm
Sleeve : 15 to 10 cm
Material : **PVC**
Feature : **Reflective with Top**



CODE:
AWBR-(201)

Length : 1600 mm
Width : 650 mm
Height : 980 mm
Type : **Stackable**



CODE:
AWBR-(202)

Length : 2000 mm
Width : 600 mm
Height : 980 mm
Type : **Dominator Interlocking**





CODE:
AWBR-(203)

Length : 900 mm
Width : 500 mm
Height : 55 mm
Material : Rubber & Plastic
Type : Bull Nose



CODE:
AWBR-(207)

Length : 1000 mm
Width : 500 mm
Height : 800 mm
Material : Plastic



CODE:
AWBR-(204)

Length : 1500 mm
Width : 430 mm
Height : 1000 mm
Material : Plastic



CODE:
AWBR-(208)

Length : 1540 mm
Width : 430 mm
Height : 1020 mm
Material : Plastic



CODE:
AWBR-(205)

Length : 2020 mm
Width : 400 mm
Height : 1265 mm
Material : Plastic



CODE:
AWBR-(209)

Length : 2020 mm
Width : 500 mm
Height : 1265 mm
Material : Plastic




CODE:
AWBR-(206)

Length : 1060 mm
Width : 855 mm
Height : 350 mm
Material : Plastic



CODE:
AWBR-(210)

Length : 1140 mm
Width : 400 mm
Height : 1000 mm
Material : Plastic



CODE:
AWBR-(211)

Length : 1850 mm
Width : 440 mm
Height : 1885 mm
Material : Plastic

Rolling Barriers



CODE:
AWBR-(212)

Length : 1000 mm
Width : 350 mm
Height : 760 mm
Material : Plastic



CODE:
AWBR-(213)

Length : 2100 mm
Width : 600 mm
Height : 1000 mm
Material : Plastic



CODE:
AWBR-(214)

Metal Crash Barrier





CODE:
AWPSB-(215)

Height : 930 mm
Open Length : 2.3 meter
Close Length : 150 mm
Weight : 6.5 kg
Colour : Red
Special Features : Water Blast / Sand
Material : Plastic



CODE:
AWSP-(300)

Height : 750 / 1000 mm
Diameter : 75 mm
Reflective Tape : 3 Inch x 3 Pcs
Material : PVC (Flexible)
Colour : Orange and Red



CODE:
AWMSB-(216)

Height : 1200 mm
Open Length : 3.5 meter
Close Length : 600 mm
Weight : 33 Kg
Colour : Red
Special Features : Wheel Base
Material : Metal



CODE:
AWSP-(301)

Height : 770 mm
Diameter : Bollard (100) mm, Base (260 mm)
Reflective Tape : 1 Pcs
Material : Plastic
Colour : Red with Reflective Sticker



CODE:
AWSB-(302)

Height : 1100 mm
Base size : 420 x 420mm
Reflective Tape : 3 Inch X 3 Pieces
Material : Plastic
Feature : Rubber Base



CODE:
AWPSB-(400)

Dimensions : 250(L) x 350(W) x 50(H) mm
Material : Plastic
Colour : Black and Yellow



CODE:
AWPSB-(401)

Dimensions : 750(L) x 250(W) x 70(H) mm
Material : Plastic
Colour : Black and Yellow



CODE:
AWRSB-(402)

Dimensions : 500(L) x 550(W) x 50(H)mm
End Cap : 175 (L) X 400(W) X 75(H)mm
Reflector : Tape Type
Material : Rubber
Color : Black and Yellow



CODE:
AWRSB-(403)

Dimensions : 500(L) x 350(W) x 50(H)mm
End Cap : 175(L) X 350(W) X 50(H)mm
Material : Rubber
Colour : Black and Yellow



CODE:
AWPSB-(404)

Open Length : 3 Meter
Width : 350 mm
Feature : Portable
Colour : Yellow and Black



CODE:
AWPEC-(405)

Dimensions : 500 (L) x 125 (W) x 25(H)mm
Type : End Cap
Colour : Yellow and Black



CODE:
AWPRS-(406)

Dimensions : 500(L) x 125(W) x 25(H)mm
Material : Plastic
Colour : Yellow and Black



CODE:
AWRRS-(407)

Dimensions : 500(L) X 125(W) X 25(H) mm
Material : Rubber
Colour : Black and Yellow





CODE:
AWPRS-(500)

Dimensions : 120(L) X 90(W) X 17(H) mm
Reflector : Prismatic Reflector
Weight : 100 / 200 Grams
Material : Plastic



CODE:
AWPRS-(501)

Dimensions : 100(L) X 90(W) X 18 (H) mm
Reflector : Prismatic Reflector
Weight : 100 / 200 Grams
Material : Plastic



CODE:
AWPRS-(502)

Dimensions : 90(L) X 110 (W) X 17(H) mm
Depth : 0.1cm
Reflector : Prismatic Reflector
Weight : 120 Grams
Material : Plastic
Feature : Nail Base



CODE:
AWPRS-(503)

Dimensions : 100(L) x 100(W) x 20(H) mm
Weight : 400 grams
Material : Plastic
Type : Shank



CODE:
AWARS-(504)

Dimensions : 100(L) X 100(W) X 20(H) mm
Weight : 110g
Reflective Surfaces : Double-Side
Material : Aluminium





CODE:
AWARS-(505)

Dimensions : 100(L) x 100(W) x 20(H) mm
Reflective Surfaces : Double-Side
Material : Aluminium
Type : Shank



CODE:
AWSRS-(506)

Material : Alluminium Alloy and PC
Size : 108(D) X 88(W) X 23 (H)mm
Power Source : Solar
Type : Cat Eye



CODE:
AWSRS-(507)

Dimensions : 132 x 122 x 25 mm
Direction : Two Way Reflective
Power Source : Solar
Colour : Amber and Red
Type : Shank



CODE:
AWMDL-(600)

MS Pipe of Dia : 48 x 600/750/800/1000 mm
 ABS Mounting : 200(H) x 116(W) x 28.5(L) mm
 Reflectors : 100 mm x 2 Nos (Acrylic)
 Protection : Safety mash
 Colour : Red /Amber/ White / Yellow
 Material : Metal



CODE:
AWMDL-(601)

MS Pipe of Dia : 48 x 600/800/900/1000/1200(H) mm
 Protection : Round MS Mash of 200 mm
 Reflective : Reflective Bands
 3 Nos of 50 mm each
 Color : Red / Amber / White / Yellow
 Material : Metal



CODE:
AWMDL-(602)

Dimensions : 75(D) x 900(H) / 1000 / 1200 mm
 Reflective : 3 Nos 150 mm / 4 Nos 25 mm
 (as per requirement)
 Colour : Red / Amber / White / Black / Yellow
 Material : Metal



CODE:
AWMDL-(603)

Dimensions : 48(D) x 100(W) mm x 1200(H) mm
 (safety mesh optional)
 Reflective : 90 X 150 mm Both Sides
 (as per requirement)
 Colour : Red / Black / White
 Material : Metal



CODE:
AWMDL-(604)

Dimensions : 48(D) x 100(W) mm x 1200(H) mm
 Reflective : 75 mm dia
 (as per requirement)
 Colour : White / Black
 Material : Metal



CODE:
AWSPDL-(605)

Height : 800 mm
 Weight : 2.7 Kg
 Material : Plastic



CODE:
AWHDM-(606)

Type : Hazard Marker Board
 Size : 150 X 900mm
 Material : Aluminium
 Colour : White / Yellow




CODE:
AWMM-(700)

Dimensions : Square: 150(L)X100(W)X100(H) mm
Round: 120(L)X100(W)X100(H) mm
Colour : Red / Golden Yellow
/ Fluorescent Yellow
Material : Plastic



CODE:
AWMM-(701)

Dimensions : 122(W) X 190(H) X 30(D)mm
Color : Yellow
Material : Plastic



CODE:
AWRG-(702)

Dimensions : 50(L) X (W)120 X 70(H) mm
Bracket : 2 mm thick
Colour : Red / Yellow / White / Green



CODE:
AWRG-(703)

Dimensions : 93(W) x 70(H) mm of front and
Total depth is 108 mm
Colour : Red / Yellow/ White / Green
/ Fluorescent Yellow



CODE:
AWRG-(704)

Dimensions : 135 (W) x 115(H) mm
and Total Depth is 60 mm
Reflector : 100 mm round
Sheet Colour : Red / Yellow / White
/ Green / Fluorescent Yellow



CODE:
AWRG-(705)

Dimensions : 135(W) x 115(H) mm
and Total Depth is 60 mm
Acrylic Reflector : 100 mm round
Complete bracket : 2 mm thick MS sheet
black powder coated
Colour : Red / Yellow / White / Green
/ Fluorescent Yellow





CODE:
AWCG-(800)

Corner Shape : **L Shape**
Length : **800 mm**
Width : **100x100 mm**
Thickness : **10-11 mm**
Reflective Tape : **4 x4 "**



CODE:
AWCG-(801)

Corner Shape : **Round Shape**
Length : **900 mm**
Width : **75x75 mm**
Thickness : **25 mm (Center)**
Reflective Tape : **6 x 2.5"**



CODE:
AWPWC-(802)

Size : **200 x 120 x 110 mm**
Weight : **0.4 Kg**
Material : **Plastic**
Usage : **Parking lots, Garage**



CODE:
AWRWC-(803)

Size : **241 x 177 x 165 mm**
Weight : **5 Kg**
Material : **Rubber**
Usage : **Traffic security, Parking Lot**



CODE:
AWRCS-(804)

Size : **500 x 100 x 125 mm**
Weight : **4 - 6 Kg**
Material : **Rubber**
Usage : **Parking lots, Garage**



CODE:
AWRCS-(805)

Size : **500 x 160 x 120 mm**
Weight : **4 - 6 Kg**
Material : **Rubber**
Usage : **Parking lots, Garage**



CODE:
AWRCS-(806)

Size : **1650 x 150 x 100 mm**
Weight : **14 Kg**
Material : **Rubber**
Usage : **Parking lots, Garage**



CODE:
AWRCS-(807)

Size : **1650 x 150 x 100 mm**
Weight : **14 Kg**
Material : **Rubber**
Usage : **Parking lots, Garage**



CODE:
AWMDL-(900)

Dimensions : 84(D) X 165(H) mm
Delineation Area : 84(D) X 90(H) mm
Visibility : 500 mtrs
Colour : Red, Yellow, White, Blue, Green
Material : Polycarbonate, ABS or Aluminium



CODE:
AWSRL-(901)

Solar Road Lamp

Dimensions : 105(D) X 185(W) X 385(H) mm
Lens Area : 175(D) mm
Visibility : 500 mtrs
Material : Battery Box Abs, Lens pc and Clamp MS
Colour : Red / Yellow / Blue / White / Green



CODE:
AWSRL-(902)

Solar Road Lamp

Dimensions : 94(D) X 185(W) X 365(H) mm
Lens Area : 175 (D) mm
Visibility : 500 mtrs
Material : Battery Box Abs, Lens PC & Clamp MS
Colour : Red / Yellow / Blue / White / Green



CODE:
AWSDL-(903)

Barrier Clamp Mounting



CODE:
AWSDL-(904)

Wall or Floor Mounting



CODE:
AWSDL-(905)

Pole Mounting



CODE:
AWSDL-(906)

Clamp Mounting



CODE: **AWSDL-(907)**

Cone Mounting



CODE: **AWSDL-(908)**

Anti Theft Barrier Mounting



CODE: **AWSDL-(909)**

Steel Solar Glimp Lamp



CODE: **AWSDL-(910)**

Steel Pole Solar Glimp Lamp



CODE:
AWRH-(1000)

Type : Ratchet type adjustment
Material : HDPE
Size : S,M,L
Features : Shock absorption, high impact,
Heat and chemical resistant



CODE:
AWNH-(1001)

Type : Nape Type
Material : HDPE
Size : S,M,L
Features : Shock Absorption, high impact,
Heat and Chemical resistant



CODE:
AWLCH-(1002)

Type : Load Carrying
Material : HDPE
Size : S,M,L
Applications : Construction works,
material handling, mining,
sand blasting, ports etc.



CODE:
AWTH-(1003)

Type : Torch Helmet
Material : HDPE
Cell : 3 Nos. Rechargeable AA type
Charger : 6 Volt (6 to 8 hour backup)
Suspension : Ratchet Type
Size : S,M,L
Features : Head Lamp, High impact
Application : Mining & Construction



CODE:
AWFSH-(1004)

Type : Face Shield
Material : HDPE
Visor : Polycarbonate with
Holding Brackets
Size : S,M,L
Applications : Petroleum, Chemical,
Construction, Metallurgy,
Transportation, Working



CODE:
AWWH-(1005)

Type : Welding helmet
Material : Polypropylene
Protective Lens : Polycarbonate.
Headgear : Made of High strength Nylon
Welding Lens : Lifiable
Suspension : Ratchet Adjustment
Size of Window : 10cm x 4.4cm
Size : S,M,L
Application : ARC Welding, Spot welding,
Soldering, Gas welding etc



Face Shield
CODE:
AWFS-(1006)



Face Shiled Carrier
CODE:
AWFSC-(1007)



CODE:
AWUCEP-(1100)

Type : **UnCorded Ear Plugs**
 Material : **Non-Irritant foam and allergy free**
 Color : **Uncorded in bright orange**
 Size : **Regular** (One size fits all ear canals)
 Noise Reduction(dB) : **32 dB**
 Applications : **Constructions, Machine & Factory works, live Music Arenas**



CODE:
AWCEP-(1101)

Type : **Corded Ear Plugs**
 Material : **Polyurethane/Foam**
 Color : **Orange**
 Size : **Universal**
 Noise Reduction(dB) : **29 dB**
 Applications : **Transportation, Pharmaceutical, Automotive, Military, Oil and Gas, Manufacturing etc**



CODE:
AWEM-(1102)

Type : **Ear Muffs**
 Material : **Platic / Di Electric muff with Foam Filled cushion.**
 Color : **Yello,Black,Red combinations**
 Style : **Over the head**
 Noise Reduction(dB) : **23.0 (23 to 32 db level)**
 Features: : **Foldable, Height Adjustment, Foam Filled Cushions, Wide ear cushions, Deep ear cups**
 Applications : **Air ports, Generators, Excavation high frequency welding, Metal production, Mines & fabrication**



CODE:
AWEPD-(1103)

Type : **Ear plugs are dispenser**
 Material : **Cordless type, disposable**
 Color : **Orange**
 Size : **Regular** (One size fits all ear canals)
 Noise Reduction(dB) : **29dB**
 Applications : **Constructions, Machine & Factory works**



CODE:
AWSG-(1200)

Type : **Smoke Goggles**
 Lenses Material : **Polycarbonate**
 Frame Type : **Plastic**
 UV Protection : **Yes (99%)**
 Weight : **30 g**
 Features : **Anti-Scratch, Anti-Fog, Dust-Proof**
 Application : **Construction, Industries, Automotive Etc.**



CODE:
AWCSG-(1201)

Type : **Chemical Splash**
 Lens Material : **Fiber, Polycarbonate**
 Lens Type : **Zero Power**
 Frame Type : **Elastic Band**
 UV Protection : **Yes (99%)**
 Weight : **70g**
 Application : **Factories, Industries & Constructions**



CODE:
AWOS-(1202)

Type : **Over the Spectacle**
 Lenses Material : **Polycarbonate**
 Lense Type : **Zero-power**
 Frame Type : **Plastic**
 Weight : **50g**
 Application : **Agriculture, Chemical, Electrical Utility etc.**




CODE:
AWUVG-(1203)

Type : **Ultra View Splash Goggles**
 Material : **Polycarbonate**
 Lens Coating : **Clear**
 UV Protection : **Yes (99%)**
 Weight : **70g**
 Application : **Liquid Splashes, Sparks, Potentially Infectious Materials Etc**



CODE:
AWWG-(1204)

Type : **Welding Goggles**
 Lenses Material : **Polycarbonate**
 Frame Type : **Plastic Impact-resistant ABS eyecups**
 Shade : **5 DIN flip uplens**
 Weight : **50g**
 Application : **Gas Welding / Cutting / Brazing Operations**



CODE:
AW3P-(1300)

Class : Type II
Band : Latex Free white Ear Bands
Nose Clip : Plastic / Soft Aluminum
Layers : Polypropylene Melt blown
Approvals : EN/SITRA



CODE:
AWFP1-(1301)

Class : FFP1
Band : latex Free Knitted head Bands in white, red or yellow Color.
Nose Clip : Soft Aluminum
Layers : Electrostatic Polypropylene Melt blown
Approvals : EN 149:2001+A1:2009



CODE:
AWFP2-(1302)

Class : FFP2
Band : Latex Free Knitted head Bands in white, red or yellow Color.
Nose Clip : Soft Aluminum
Layers : Electrostatic Polypropylene Melt blown
Approvals : EN 149:2001+A1:2009/IS:9473



CODE:
AWFP2-(1303)

Class : FFP2 S
Band : Latex Free Knitted head Bands in white, red or yellow Color.
Nose Clip : Soft Aluminum
Layers : Electrostatic Polypropylene Melt blown, Polypropylene Non-Woven fabric
Exhalation valve : Polypropylene
Approvals : EN 149:2001+A1:2009/IS:9473



CODE:
AWFP3-(1304)

Class : FFP3 SLV NR
Band : Latex Free Knitted head Bands in white Color.
Nose Clip : Soft Aluminum
Layers : Electrostatic Polypropylene Melt blown, Polypropylene NonWoven fabric
Exhalation valve : Polypropylene
Approvals : EN 149:2001+A1:2009 /IS:9473



Reusable Full Face Mask
CODE:
AWFFM-(1305)



Reusable Half Face Mask
CODE:
AWHFM-(1306)



Escape Mask
CODE:
AWEM-(1307)

HAND AND FOOT PROTECTION



Latex Gloves
(Powder Free)
CODE: **AWLG-(1400)**



Latex Gloves
(Powdered)
CODE: **AWLG-(1401)**



Nitrile Disposable
(Powder Free)
CODE: **AWNG-(1402)**



Nitrile Gloves
(Non Disposable)
CODE: **AWNG-(1403)**



Vinyl Disposable
(Powder Free)
CODE: **AWVG-(1404)**



Neoprene Gloves
CODE: **AWNG-(1405)**



Cut Level 3 Liner
CODE: **AWCL-(1406)**



Cut Level 5 liner
CODE: **AWCL-(1407)**



Cotton Knitted Gloves
CODE: **AWCG-(1408)**



Electrical Gloves
(11 KV Jyot)
CODE: **AWEG-(1409)**



Heat Resistant Gloves
CODE: **AWHRG-(1410)**



Rubber Hand Gloves
CODE: **AWRG-(1411)**



Nitrile Rubber Gloves
CODE: **AWNRG-(1412)**



PVC Gloves
CODE: **AWPVCG-(1413)**



CODE:
AWSS-(1500)

Material : **Suede leather**
Style : **Low / High ankle**
Toe Cap : **with or without Steel Toe**
Sole Type : **Double density PU/TPU sole for high durability and flexibility**
Impact Resistance : **up to 200 J**
Feature : **Anti Static, Oil resistant, Anti Skid, Sweat Absorption, Chemical Resistant, Impact Resistant, Mid sole penetration**



CODE:
AWDDS-(1501)

Upper Material : **Grain Leather**
Insole : **Non Woven**
Toe Cap : **with or without Steel Toe**
Lining : **Moisture Wicking Breathable Fabric Lining**
Sole : **Injected double density (PU) Sole**
Style : **Low and High ankle**
Colour : **Black**
Feature : **Anti Static, Slip resistance with penetration proof**



CODE:
AWSDS-(1502)

Upper Material : **Grain Leather**
Outsole : **Cleated outsole with wider cleats**
Toe Cap : **with or without Steel Toe**
Lining : **Highly abrasion resistant fabric lining**
style : **Low and High ankle**
Colour : **Black**
Feature : **Anti Static, Slip resistance**



CODE:
AWES-(1503)

- | | |
|------------|---|
| Material | : Grain Leather |
| Toe Cap | : Fiber Toe |
| Lining | : Breathable and Absorbent Spacer |
| Lace | : Nylon |
| Eyelets | : Non-Metallic |
| Sole | : Molded PU outsole |
| Colour | : Black |
| Protection | : 11KV Proofed |
| Features | : Anti Skid, Shock Absorbent, Oil, Chemical and fuel resistant sole |



CODE:
AWLS-(1504)

- | | |
|----------|-----------------------------|
| Material | : Split Leather |
| Toe Cap | : with or without Steel Toe |
| Lining | : Cotton Lining |
| Style | : Low and High ankle |
| Sole | : PVC |
| Feature | : Oil Resistant, Anti-Skid |



CODE:
AWGB-(1505)

- | | |
|------------|---|
| Material | : Fully moulded single piece PVC with Sole |
| Sole | : PVC |
| Toe Cap | : With or Without Steel Toe |
| Lining | : Cotton Lining |
| Protection | : Penetration Resistant |
| Feature | : Oil Resistant, Anti Skid, Water Resistant |

Safety Jackets



Net Type Reflective Safety Jackets



Safety Jackets



Safety Jackets



Safety Jackets



High Visibility Reflective Vest Belt Jacket



Safety Reflective Jackets



Reflective Safety Jacket



Polyester Reflective Safety Jackets



Net Safety Jackets


Safety Suits



OTHER SAFETY PRODUCTS



Queue Managers



Wheel Clamp Lock



Plastic Chains



Convex Mirror



Safety Torch



Smoke Cutting Torch



Caution Tapes



Floor Marking Tapes



Reflective Radium Tapes



Lockout Tagouts

Road Markings



Safety Sign Boards



Special Informatory Signs



Eye Wash Unit



Spill Kit



Fire Extinguisher



Safety Belt



Fall Arrest & Rescue



Wind Sock



Shoe Cover



Head Cap

Safety Notes

Prepare Yourself For A Hot Work

Checklist :

- ✓ Welding Cap
- ✓ Dusk Mask
- ✓ Leather Welding Jacket
- ✓ Long Pants
- ✓ Hightop Leather Work Boots
- ✓ Safety Glasses
- ✓ Welding Helmet
- ✓ Gauntlet Type Welding Gloves
- ✓ Leather Apron
- ✓ Leather Spats

Ready? Now You Can Start Working

SAFETY RULES

- 1 You are responsible for your own safety and safety of others.
- 2 Wear personal protective equipment necessary for the job.
- 3 Always use equipment/tools/machinery safely and properly.
- 4 Lift properly using your legs and not your back.
- 5 Keep your work area clean.
- 6 Wear appropriate and safe work clothing and footwear.
- 7 Report any unsafe conditions.
- 8 Clean up spills immediately.
- 9 Report all injuries.
- 10 No alcohol or drugs to be used or allowed on company property.





INTERNATIONAL ROAD SAFETY



Autowheel India:

#Plot No.205, Survey of India Colony, Ayyappa Society,
Madhapur, Hyderabad, Telangana - 500081

© 040-35853016

www.autowheelindia.com

info@autowheelindia.com

Follow us on



Certified by:
ISO:9001:2015, MSME, ICAT & MoRTH

Note: This brochure is only a conceptual presentation
of the products and not a legal offering